PAIN

Pain 84 (2000) 453–455

www.elsevier.nl/locate/pain

Contents to Volume 84 (1999)

Number 1 – January 2000

EDITORIAL

Pain in the New Millennium
R. Dubner (USA) v

REVIEW ARTICLE

The role of corticotropin-releasing factor in pain and analgesia
W.R. Lariviere, R. Melzack (Canada) 1

RESEARCH PAPERS

Moxonidine, a selective imidazoline/α_2 adrenergic receptor agonist, synergizes with morphine and deltorphin II to inhibit substance P-induced behavior in mice
C.A. Fairbanks, I.J. Posthumus, K.F. Kitto, L.S. Stone, G.L. Wilcox (USA) 13
Increased spinal cholecystokinin activity after systemic resiniferatoxin: electrophysiological and in situ hybridization studies
C. Broberger, T. Farkas-Szallasi, A. Szallasi, J.M. Lundberg, T. Hökfelt, Z. Wiesenfeld-Hallin, X.-J. Xu (Sweden) 21
Interaction between cutaneous and muscle afferent activity in polysynaptic reflex pathways: a human experimental study
O.K. Andersen, T. Graven-Nielsen, D. Matre, L. Arendt-Nielsen, E.D. Schomburg (Denmark, Germany) 29
Pain measurement with evoked potentials: combination of subjective ratings, randomized intensities, and long interstimulus intervals produces a P300-like confound
D.E. Becker, D.W. Haley, V.M. Ureña, C.D. Yingling (USA) 37
Predicting responses to self-management treatments for chronic pain: application of the pain stages of change model
R.D. Kerns, R. Rosenberg (USA) 49
Relative potency of epidural to intrathecal clonidine differs between acute thermal pain and capsaicin-induced allodynia
J.C. Eisenach, D.D. Hood, R. Curry (USA) 57
Fear and anxiety: divergent effects on human pain thresholds
J.L. Rhudy, M.W. Meagher (USA) 65
Parietal and cingulate processes in central pain. A combined positron emission tomography (PET) and functional magnetic resonance imaging (fMRI) study of an unusual case
R. Peyron, L. García-Larrea, M.C. Grégoire, P. Convers, A. Richard, F. Lavenne, F.G. Barral, F. Mauguière, D. Michel, B. Laurent (France) 77
Remembering an everyday pain: the role of knowledge and experience in the recall of the quality of dysmenorrhoea
E.E. Brodie, C.A. Niven (UK) 89
The economic burden of back pain in the UK
N. Maniadakis, A. Gray (UK) 95
Oral naloxone reverses opioid-associated constipation
W. Meissner, U. Schmidt, M. Hartmann, R. Kath, K. Reinhart (Germany) 105

LETTERS TO THE EDITOR

Comment on van Poppel, M.N.M., et al., Risk factors for back pain incidence in industry: a prospective study, Pain 77 (1998) 81–86
D.A. Fishbain (USA) 111
The bee venom test: comparisons with the formalin test and with injection of different venoms
W.R. Lariviere, R. Melzack (Canada) 111
Comment on Rommel et al., Pain 80 (1999) 95–101
B.S. Galer (USA) 113
Comment on Wallis et al., Pain 72 (1997) 15–22
D.A. Fishbain (USA) 113
Absence of evidence is not evidence of absence (again), Comment on Wasner et al., Pain 79 (1999) 113–119
F. Cervero, J.M.A. Laird (Spain) 114

Numbers 2,3 – February 2000

TOPICAL REVIEW

Spinal nerve ligation: what to blame for the pain and why
M.S. Gold (USA) 117

REVIEW ARTICLE

Antagonists of excitatory opioid receptor functions enhance morphine's analgesic potency and attenuate opioid tolerance/dependence liability
S.M. Crain, K.-F. Shen (USA) 121

RESEARCH PAPERS

Computer-assisted infrared thermographic study of axon reflex induced by intradermal melittin
N. Koyama, K. Hirata, K. Hori, K. Dan, T. Yokota (Japan) 133
Secondary hyperalgesia persists in capsaicin desensitized skin
P.N. Fuchs, J.N. Campbell, R.A. Meyer (USA) 141
Effects of intrathecal administration of ziconotide, a selective neuronal N-type calcium channel blocker, on mechanical allodynia and heat hyperalgesia in a rat model of postoperative pain
Y.-X. Wang, M. Pettus, D. Gao, C. Phillips, S.S. Bowersox (USA) 151
Cytokine involvement in dynorphin-induced allodynia
T.M. Laughlin, J.R. Bethea, R.P. Yezierski, G.L. Wilcox (USA) 159
Involvement of presurgical pain in preemptive analgesia for orthopedic surgery: a randomized double blind study
S. Aida, H. Fujihara, K. Taga, S. Fukuda, K. Shimoji (Japan) 169
Antihyperalgesic effects of intrathecally administered magnesium sulfate in rats
Y. Takano, E. Sato, T. Kaneko, I. Sato (Japan) 175
Electronic diary assessment of pain, disability and psychological adaptation in patients differing in duration of pain
M.L. Peters, M.J. Sorbi, D.A. Kruise, J.J. Kerssens, P.F.M. Verhaak, J.M. Bensing (The Netherlands) 181
Mechanisms underlying the effects of remote noxious stimulation and mental activities on exteroceptive jaw reflexes in man
H.W. van der Glas, S.W. Cadden, A. van der Bilt (The Netherlands, UK) 193
Treatment outcome of chronic non-malignant pain patients managed in a Danish multidisciplinary pain centre compared to general practice: a randomised controlled trial
N. Becker, P. Sjøgren, P. Bech, A.K. Olsen, J. Eriksen (Denmark) 203
Modulation of nociceptive transmission by NMDA/glycine site receptor in the ventroposterolateral nucleus of the thalamus
F. Bordi, M. Quartaroli (Italy) 213
Factors associated with anxiety and depression in facial arthromyalgia
G. Madland, C. Feinmann, S. Newman (UK) 225
Bilateral behavioral and regional cerebral blood flow changes during painful peripheral mononeuropathy in the rat
P.E. Paulson, T.J. Morrow, K.L. Casey (USA) 233
Validity of the Pain Anxiety Symptoms Scale (PASS): prediction of physical capacity variables
J.W. Burns, J.T. Mullen, L.J. Higdon, J.M. Wei, D. Lansky (USA) 247
Characteristics of ectopic discharges in a rat neuropathic pain model
H. Chul Han, D. Hyun Lee, J. Mo Chung (USA) 253
Opioid inhibition of formalin-induced changes in plasma extravasation and local blood flow in rats
B.K. Taylor, M.A. Peterson, R.E. Roderick, J. Tate, P.G. Green, J.O. Levine, A.I. Basbaum (USA) 263
Interactions of intrathecally administered ziconotide, a selective blocker of neuronal N-type voltage-sensitive calcium channels, with morphine on nociception in rats
Y.-X. Wang, D. Gao, M. Pettus, C. Phillips, S.S. Bowersox (USA) 271
Sleep arousal response to experimental thermal stimulation during sleep in human subjects free of pain and sleep problems
G. Lavigne, M. Zucconi, C. Castronovo, C. Manzini, P. Marchettini, S. Smirne (Canada, Italy) 283
Efficacy of a vibratory stimulus for the relief of HIV-associated neuropathic pain
J.A. Paice, S. Shott, F.P. Oldenburg, J. Zeller, B. Swanson (USA) 291
Differences in somatic perception in female patients with irritable bowel syndrome with and without fibromyalgia
L. Chang, E.A. Mayer, T. Johnson, L.Z. FitzGerald, B. Naliboff (USA) 297
Spontaneous activity of axotomized afferent neurons after L5 spinal nerve injury in rats
X.-G. Liu, S. Eschenfelder, K.-H. Blenk, W. Jänig, H.-J. Häbler (Germany) 309
Distribution and regulation of α_2-adrenoceptors in rat dorsal root ganglia
T.-J.S. Shi, U. Winzer-Serhan, F. Leslie, T. Hökfelt (Sweden, USA) 319
No effect of sympathetic sudomotor activity on capsaicin-evoked ongoing pain and hyperalgesia
G. Wasner, A. Binder, F. Kopper, R. Baron (Germany) 331
Effect of propranolol and granisetron on experimentally induced pain and allodynia/hyperalgesia by intramuscular injection of serotonin into the human masseter muscle
M. Ernberg, T. Lundeberg, S. Kopp (Sweden) 339
The relation between pain beliefs, negative thoughts, and psychosocial functioning in chronic pain patients
M.W. Stroud, B.E. Thorn, M.P. Jensen, J.L. Boothby (USA) 347

Long-term changes in sciatic-evoked A-fiber dorsal horn field potentials accompany loose ligation of the sciatic nerve in rats
G. Miletic, V. Miletic (USA) 353
Lower limb cold exposure induces pain and prolonged small fiber dysfunction in Fabry patients
M.J. Hilz, B. Stemper, E.H. Kolodny (USA, Germany) 361
The reliability and validity of the COMFORT scale as a postoperative pain instrument in 0 to 3-year-old infants
M. van Dijk, J.B. de Boer, H.M. Koot, D. Tibboel, J. Passchier, H.J. Duivenvoorden (The Netherlands) 367
The prevalences of cytochrome c oxidase negative and superpositive fibres and ragged-red fibres in the trapezius muscle of female cleaners with and without myalgia and of female healthy controls
B. Larsson, J. Björk, K.-G. Henriksson, B. Gerdle, R. Lindman (Sweden) 379
Simultaneous depletion of neurokinin A, substance P and calcitonin gene-related peptide from the caudal trigeminal nucleus of the rat during electrical stimulation of the trigeminal ganglion
M. Samsam, R. Coveñas, R. Ahangari, J. Yajeya, J.A. Narváez, G. Tramu (Spain, France) 389
Functional interplay between gelatinases and hyperalgesia in endotoxin-induced localized inflammatory pain
R.S. Talhouk, L. Hajjar, R. Abou-Gergi, C.J. Simaa'n, G. Mouneimne, N.E. Saade', B. Safieh-Garabedian (Lebanon) 397
Intramuscular and intradermal injection of capsaicin: a comparison of local and referred pain
N. Witting, P. Svensson, H. Gottrup, L. Arendt-Nielsen, T.S. Jensen (Denmark) 407
Density of sympathetic axons in sural nerve biopsies of neuropathy patients is related to painfulness
A. Bickel, M. Butz, M. Schmelz, H.O. Handwerker, B. Neundörfer (Germany) 413
Co-administration of sub-antinociceptive doses of oxycodone and morphine produces marked antinociceptive synergy with reduced CNS side-effects in rats
F.B. Ross, S.C. Wallis, M.T. Smith (Australia) 421

CLINICAL NOTES

Bilateral hand oedema related to acupuncture
C.J.L. McCartney, R. Herriot, W.A. Chambers (UK) 429
Motor cortex stimulation for chronic neuropathic pain: a preliminary study of 10 cases
D. Carroll, C. Joint, N. Maartens, D. Shlugman, J. Stein, T.Z. Aziz (UK) 431

LETTERS TO THE EDITOR

Absence of evidence is not evidence of absence (again) Response to Dr. F. Cervero and Dr. J.M.A. Laird
G. Wasner, R. Baron, W. Jänig (Germany) 439
R3 component of the blink reflex is not a suitable model to investigate trigeminal nociception. Comment on Jääskeläinen et al., Pain 80 (1999) 191–200
J. Ellrich (Germany) 440
Reply to Dr. Jens Ellrich
S.K. Jääskeläinen (Finland) 441
When the whole is more than the sum of its parts, comments on Treede et al., Pain 79 (1999) 105–111
C. Eccleston, G. Crombez (UK, Belgium) 442
Comments on Treede et al., Pain 79 (1999) 105–111
M. Hooper (Australia) 442
Reply to Eccleston and Crombez, Reply to Hooper
R.-D. Treede, D.R. Kenshalo, R.H. Gracely, A.K.P. Jones (Germany, USA, UK) 443
Comments on Moore et al., Pain 78 (1998) 209–216
S. Arnér, B.A. Meyerson (Sweden) 444
Reply to Arnér and Meyerson
R.A. Moore, H. McQuay (UK) 445
The bigger the better or small but perfectly formed?
C.J. Woolf (USA) 445
Comments on France and Suchowiecki, Pain 81 (1999) 77–84
S. Petersen-Felix, L. Arendt-Nielsen (Switzerland, Denmark) 446
Reply to Petersen-Felix and Arendt-Nielsen
C. France, S. Suchowiecki (USA) 447

Author Index to Volume 84 449
Contents to Volume 84 453